

**Section 1: Company and Product Identification**

**Product Name:** Carpet Tackless Strip

**Product Code:** Multiple SKU's

**Company:** Halex Corporation  
4200 E. Santa Ana Street  
Ontario, CA 91761  
PH: 313-555-9865

**Emergency Response:** 909-622-3537

**Section 2: Hazards Identification**

GHS02 GHS07 BLANK BLANK

**Hazard Pictograms:**



**Signal Word:** Warning

**Hazard Category:** Flammable Solid  
Non-classified

**Hazard Statements:** This material under normal conditions of use is not expected to pose any physical hazards or health risks. The component exposure limits and other information in this document are provided for circumstances such as sawing, sanding or burning.

**Precautionary Statements:** P202: Do not handle until all safety precautions have been read and understood  
P281: Use personal protective equipment as required  
P501: Dispose of contents/container in accordance with local/regional/national/international rules.

**Hazards not otherwise classified:** Wood dust may pose a combustible dust explosion hazard if suspended in air in sufficient concentrations in a contained area in proximity to an ignition source. Users of wood products which may generate wood dust solids during handling and processing should evaluate combustibility hazards and controls. Primary health hazard posed by this product is due to exposure of airborne dust.

**Section 3: Composition / Information on Ingredients**

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Wood	NA	None	80-90

**Section 4: First Aid Measures**

**General Info:** Fabrication operations such as milling, cutting, grinding, etc., may produce dust that may be irritating. May aggravate existing skin conditions. Wash with soap and water. If irritation persists, seek medical attention.

**If ingested:** Not anticipated under normal use.

**If inhaled:** Wood dust may cause unpleasant obstruction in the nasal passages, resulting in dryness of nose, dry cough and sneezing. Remove to fresh air. Seek medical help if persistent irritation, severe coughing, allergic-type responses or breathing difficulty occurs.

**Eye contact:** Wood dust may cause mechanical irritation. Treat dust in eye as foreign object. Flush with water to remove dust particles. Seek medical help if irritation persists.

**Skin contact:** Wood dust of certain species can elicit allergic contact dermatitis in sensitized individuals, as well as mechanical irritation resulting in erythema and hives. Seek medical help if rash, irritation or dermatitis persists.

**Chronic Effects:** No chronic effects or hazard as sold.

## Section 5: Fire Fighting Measures

---

**General Info:** Keep personnel removed from and upwind of fire. Wear full body protective clothing and MSHA/NIOSH approved self-contained breathing apparatus. All components have a flash point greater than 200C.

**Extinguishing Method / Equipment:** Carbon dioxide (CO2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

**Hazardous Decomposition Info:** Constituents associated with burning / combustion are to be considered toxic.

## Section 6: Accidental Release Measures

---

**Personal precautions, protective equipment and procedures:** Not Applicable

**Containment Equipment and Procedures:** Not Applicable

**Cleanup Procedures:** Gather spilled materials and placed in a container for disposal.

## Section 7: Handling and Storage

---

**Safe Handling Precautions:** Use caution and industry recognized protective equipment/clothing when working with molten adhesive. Turn off heated application tool when not in use.

**Recommendations for Storage:** Store in a dry well-ventilated area.

**Incompatibilities:** None Known

## Section 8: Exposure Control / Personal Protection

---

**General / Engineering Controls:** None

**Work Clothing:** Protective work clothing which covers skin and prevents exposures.

**Eye/face protection:** Wear safety goggles or face shield.

**Skin Protection:** General purpose cotton or leather gloves recommended.

**Respiratory Protection:** Should not be required. Consult an industrial hygienist if user notice respiratory problems.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Softwood and Hardwood	None	1 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>

## Section 9: Physical and Chemical Properties

---

State: NA	Melting Point: NA	Freezing Point: NA
Color: NA	Boiling Point/Range: NA	pH NA
Sp Grav: NA	Odor: NA	Water Solubility: NA
Evaporation rate: NA	Flash Point: NA	Autoignition Temp: NA
Upper Flam Limits: NA	Lower Flam Limits: NA	Vapor Pressure: NA
VOC Content (lbs/gal):	Viscosity:	Autoignition Temp: NA

## Section 10: Stability and Reactivity

---

**General:** STABLE - Avoid open flame. Product may ignite at temperatures in excess of 400°F.

**Incompatible materials:** Avoid contact with oxidizing agents.

**Decomposition products:** Thermal and/or thermal-oxidative decomposition can produce irritating and toxic fumes and gases, including hydrogen cyanide, carbon oxides, polynuclear aromatic hydrocarbons, aldehydes and organic acids.

## Section 11: Toxicological Information

---

**Wood Dust (Softwood or Hardwood):** Wood dust - generated from sawing, sanding or machining wood products - may cause nasal dryness irritation, coughing and sinusitis. NTP and IARC classify wood dust as a human carcinogen (IARC Group 1). See Section 3 above.

**Likely Routes of Exposure:** None Anticipated.

**Carcinogenicity or mutagenicity:** Not Available.

**Sensitization:** Product is not expected to be a sensitizer.

## Section 12: Ecological Information

---

**General information:** Wood dust would be expected to be biodegradable.

**Aquatic toxicity:** None

**Degradation / Mobility info:** No specific data available.

**Bioaccumulative potential:** No specific data available.

## Section 13: Disposal Information

---

**Product disposal:** Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.

**Container disposal:** Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.

**Other considerations:** No further information.

## Section 14: Transport Information

---

**DOT:** Not Regulated

**IMO/IMDG:** Not Regulated

**IATA:** Not Regulated

**OTHER:** Not Regulated

**Comments:** None

**Section 15: Regulatory Information**

---

**TSCA:** Not Applicable.

**CERCLA RQ:** Not Applicable.

**SARA 311/312:** Not Applicable.

**SARA 313** Not Applicable.

**California Prop 65** Not Applicable.

**Substances:**

**Canadian DSL:** Not Applicable.

**WHMIS:** Not Applicable.

**Section 16: Other Information**

---

**SDS Author:** Tony A. Dominguez

**Version Date:**

1/10/2015

*Reasonable care has been taken in the preparation of this document and contained information, but the supplier gives no warranty or merchantability of fitness for a particular purpose. Information in this form is furnished solely for the purpose of local, federal and state compliance. Persons using this product shall make their own determination as to the applicability of the Hazard Communication Standard and any other requirement to their use of this product. Hallex Corporation believes that the statements, technical information and recommendations set forth herein are reliable and accurate at the time of publication.*